




OTDR




IPC Test



Auto HD

PoE 48V ON/0.0W




Network/Cable Test

4



Fiber Test

5




IP Camera Test

24



CVBS & HD Camera

7



My APPS

18



File Explorer




Settings



NET TOOL



Cleaner



⊕

⊖

1:1

A↔B

←AB

→AB

↻

PoE 48V ON/0.0W

Save Data

File Management

Event Map

Test Report

Help

Start

Event list | Fiber link | AB Ruler | Parameter | Trace info | **FastSet** | FastSave

Average | Real time






- 1310 nm
- 1550 nm

Scope km **Auto**

Pulse ns **Auto**

Duration s **5**


Fiber Test


-  OTDR
-  Laser Source
-  Optical Loss Test
-  OPM
-  VFL

Test 4

PS 18



 12V OUT
Power

 POE
Power

Port: LAN
 Status: ---
 Quality: ---
 Upload: ---
 Download: ---

DHCP Server:  

Assigned IP address:

Local IP: 192.168.1.238 

IP: 0 IPC

PING PoE 48V ON/0.0W

- Prompt
1. Select the searched camera IP.
 2. Enter the Username and Password, click Login.
 3. Click Next or More, select corresponding test tool.

username : admin Password: 

← IP Camera Test ?

 IPC Test	 POE power output	 Power management V:	 IP Discovery	 ONVIF
 NON ONVIF	 HIK	 DH test tool	 HW Tool	 UNV Test Tool

⋮

↕



File Explorer



Settings



NET TOOL



Cleaner

Test 4
PS 18

IP Camera Test

-  JOVISION Tool
-  TOPSEE tool
-  JCO test tool
-  TVT tool
-  Tiandy tool
-  TP-LINK Tool
-  XM Test Tool
-  kedacom
-  Mercury Tool
-  Hanbang test tool

Test 4

PS 18



File Explorer



Settings







NET TOOL



Cleaner

IP Camera Test

← ?

- 
LILIN
- 
Chrome
- 
Virtual IPC
- 
Multiple Preview

⋮

↕



File Explorer



Settings



NET TOOL



Cleaner

Test 4

PS 18





CVBS & HD Camera

- Auto HD
- CVBS
- TVI
- CVI
- AHD
- HDMI
- VGA

Test 4

PS 18

Network/Cable Test

-  Cable Tester
-  RJ45 TDR test
-  PoE Detection
-  Cable Tracer

Test 4

PS 18

-  File Explorer
-  Settings
-  NET TOOL
-  Cleaner



My APPS

- Manual
- Application Update
- 12V Load Detection
- WIFI Analyzer
- Audio Recorder
- Video player
- RtspPlayer
- Data monitor
- Flashlight
- DroiNotes

Test 4

PS 18

- File Explorer
- Settings
- NET TOOL
- Cleaner

My APPS

- Network State
- Photo Browser
- Quickoffice
- Audio Player
- Video Computing Tool
- Quotation Tool
- VLC
- Calculator

Test 4

PS 18

- File Explorer
- Settings
- NET TOOL
- Cleaner

IP Settings

WLAN Net

Setting

Language & input

Date/Time

Volume

Brightness

SD card

FTP server

personal

Shortcut Menu

IP Settings

PoE 48V ON/0.0W

Start RJ45 network **DHCP Server:** OFF

IP Set in: Static Dynamic(DHCP) PPPOE

IP Address: 192.168.1.238

Subnet Mask: 255.255.255.0

Gateway: 192.168.1.1

DNS address: 8.8.8.8

MAC: 66:69:76:F2:6D:97

Setting

Refresh



Status




Setting



Tool



Link Tool



PoE 48V ON/0.0W

LAN

No connection-Full Duplex


Auto-detected LAN info

PoE : 50.8 V


Local static:192.168.1.238



Status




Rapid IP Discovery



IP Scan


PoE 48V ON/0.0W



PING Responder




Setting



DHCP Server




PPPOE



Tracer




Tool




Socket Tool




OUI Search



DNS



Link Tool



PoE 48V ON/0.0W



Status



Setting



Tool



Link Tool



LLDP



Port Flashing



Link Monitor